

DAFTAR PUSTAKA

1. World Health Organization. Cancer [internet]. 2021;7(Mar). Available from: https://www.who.int/health-topics/cancer#tab=tab_1.
2. Sung H, Ferlay J, Siegel RL, Laversanne M, Soerjomataram I, Jemal A, et al. Global Cancer Statistics 2020 : GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. 2021;0(0):1–41.
3. Country-specific I, Method N, Country-specific M. 273 523 621. 2020;858:1–2.
4. Indonesian Health Ministry. Kementerian Kesehatan Republik Indonesia [Internet]. Kementerian Kesehatan RI. 2018. p. 1. Available from: <https://www.kemkes.go.id/article/view/20012900002/Kesiapsiagaan-menghadapi-Infeksi-Novel-Coronavirus.html%0Ahttps://www.depkes.go.id/article/view/19020100003/hari-kanker-sedunia-2019.html>
5. Pratama FE, Nuwarda RF, Farmasi F, Padjadjaran U, Antikanker A, Alam B. Farmaka Farmaka. 16:149–58.
6. Utari. EN tri, A. IS, , Rafi ka Sari. WAK, Harti A. Kegunaan Daun Sirsak (*Annona Muricata L*) untuk Membunuh Sel Kanker dan Pengganti Kemoterapi. KesMaDaSka. 2013;1–6.
7. Pandey A, Tripathi S, Pandey CA. Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. J Pharmacogn Phytochem JPP. 2014;115(25):115–9.
8. Kementerian Kesehatan Republik Indonesia. 2015. Riset Khusus Eksplorasi Pengetahuan Lokal Etnomedisin dan Tumbuhan Obat Berbasis Komunitas di Indonesia Etnis Osing Provinsi Jawa Timur. Balai Besar Penelitian dan Pengembangan Tanaman Obat dan Obat Tradisional. Denpasar.
9. Carmona F, Maria A, Pereira S. Herbal medicines : old and new concepts , truths and misunderstandings. Rev Bras Farmacogn - BrazilianJournal Pharmacogn [Internet]. 2013;23(2):379–85. Available from: <http://dx.doi.org/10.1590/S0102-695X2013005000018>
10. Gezici S, Sekeroglu N. In vitro Anticancer Activity and Antioxidant Properties of Essential Oils from *Populus alba L* . and *Rosmarinus officinalis L* . from South Eastern Anatolia of Turkey. 2017;(October):1–7.
11. Biol TJ, Özkan A, Erdoğan A. A comparative evaluation of antioxidant and anticancer activity of essential oil from *Origanum onites* (*Lamiaceae*) and its two major phenolic components. 2011;35:735–42.
12. Gogoi B, Gogoi D, Silla Y, Kakoti BB, Bhau BS. Network pharmacology-based virtual screening of natural products from *Clerodendrum* species for identification of novel anti-cancer therapeutics. Mol Biosyst. 2017;13(2):406–16.
13. Eds. EB. *Lamiaceae* | Definition, Characteristics, & Facts | Britannica [Internet]. Available from: <https://www.britannica.com/plant/Lamiaceae>
14. *Ajuga bracteosa* Wall. ex Benth. SpringerReference. 2011. [Internet]. Available from: <https://www.gbif.org/species/3887998>

15. *Ajuga turkestanica* (Regel) Briq. Available from: <https://www.gbif.org/species/493100>.
16. *Agastache foeniculum* [Pursh] Kuntze. 2007. Available from : <https://www.gbif.org/species/2926406>
17. Azimova SS, Glushenkova AI. *Ocimum canum* Sims. Lipids, Lipophilic Components and Essential Oils from Plant Sources. 2012. p. 448–448. [Internet]. Available from: <https://www.gbif.org/species/2927091>
18. Στεφανάκη Α, Κοκκίνη Σ, Καρούσου Ρ. Εξάπλωση και αιθέρια έλαια του *Origanum onites* L. στη Χίο. Vol. Ιωάννινα, 100 Πανελλήνιο Επιστημονικό Συνέδριο Ελληνικής Βοτανικής Εταιρίας. 2005. [Internet]. Available from: <https://www.gbif.org/species/2926613>
19. *Clinopodium sericeum* (C. [Internet]. Available from: <https://www.gbif.org/species/7670757>
20. *Cunila angustifolia* Benth. [Internet]. Available from: <https://www.gbif.org/species/174906716>
21. False Rosemary, *Conradina canescens* Lamiales Lamiaceae. [Internet]. Available from: <https://www.invasive.org/browse/subinfo.cfm?sub=10474>.
22. Wiart C. *Orthosiphon stamineus* Benth. Medicinal Plants of Southeast Asia. 2002. p. 265. [Internet]. Available from: <https://www.gbif.org/species/3891871>
23. ITIS - Report *Salvia*. [Internet]. Available from: https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=32680#null.
24. *Orisinalitas Hyptis pectinata*. [Internet]. Available from: <http://plantamor.com/species/info/hyptis/pectinata>
25. Tambaru EAMRT. Indigenous Plants With Herbs Properties From Lamiaceae. *J Biol Makassar*. 2019;4(1):77–87.
26. Wells BG, DiPiro JT, Schwinghammer TL, DiPiro C V. *Pharmacotherapy Handbook*, Tenth Edition. McGraw-Hill Companies. 2017. 1-8,787-797 p.
27. Cavalieri E, Chakravarti D, Guttenplan J, Hart E, Ingle J, Jankowiak R, et al. Catechol estrogen quinones as initiators of breast and other human cancers: Implications for biomarkers of susceptibility and cancer prevention. *Biochim Biophys Acta - Rev Cancer*. 2006;1766(1):63–78.
28. Jardé T, Perrier S, Vasson MP, Caldefie-Chézet F. Molecular mechanisms of leptin and adiponectin in breast cancer. *Eur J Cancer*. 2011;47(1):33–43.
29. Begg CB, Haile RW, Borg A, Malone KE, Concannon P, Thomas DC, et al. Variation of Breast Cancer Risk Among BRCA1/2 Carriers: An Investigation by the WECARE Study Group. *Jama*. 2009;299(2):194–201.
30. Kabel AM, Baali FH. Breast Cancer: Insights into Risk Factors, Pathogenesis, Diagnosis and Management. *J Cancer Res Treat Vol 3*, 2015, Pages 28-33 [Internet]. 2015;3(2):28–33. Available from: <http://pubs.sciepub.com/jcrt/3/2/3/index.html%0Ahttp://pubs.sciepub.com/jcrt/3/2/3/abstract.html>
31. Kanker Payudara Tahap Lanjut Perlu Jadi Perhatian Global - Tribunnews. Available from : <https://www.tribunnews.com/kesehatan/2021/07/03/kanker-payudara->

- tahap-lanjut-perlu-jadi-perhatian-global.
32. Breast C, Be C, Early F, Ultrasound B, Breast E, Tests I. - Breast Cancer Detection and Diagnosis. *Phys Mammographic Imaging*. 2020;90–101.
 33. Chan FL. AR | RA: a arte na realidade aumentada. *Aleph*. 2011;3(1):95 f. : il.
 34. Chanda S, Nagani K. In vitro and in vivo Methods for Anticancer Activity Evaluation and Some Indian Medicinal Plants Possessing Anticancer Properties : An Overview. 2013;2(2):140–52.
 35. Ali-boucetta H, Al-jamal KT. Chapter 19 Cytotoxic Assessment of Carbon Nanotube Interaction. 2011;(August 2015).
 36. Riss TL, Moravec RA, Niles AL, Benink HA, Worzella TJ, Minor L. Cell Viability Assays. 2016;(Md):1–25.
 37. Whalen PA, Tracey DR, Duguay J. Microbiological Sensors for the Drinking Water Industry. *Microbiol Sensors Drink Water Ind*. 2018;137–55.
 38. Article R, Patil S, Patil S, Pujari A. Review : the in-Vivo Screening Methods of Anticancer. *World J Pharm Pharm Sci*. 2019;8(2):202–15.
 39. Voigt W. Sulforhodamine B Assay and Chemosensitivity. 110:39–48.
 40. Srisawat T, Chumkaew P, Heed-Chim W, Sukpondma Y, Kanokwiroon K. Phytochemical screening and cytotoxicity of crude extracts of *vatica diospyroides* Symington type LS. *Trop J Pharm Res*. 2013;12(1):71–6.
 41. Xu H, Li Y, Han B, Li Z, Wang B, Jiang P, et al. Anti-breast-Cancer Activity Exerted by β -Sitosterol- d -glucoside from Sweet Potato via Upregulation of MicroRNA-10a and via the PI3K-Akt Signaling Pathway. *J Agric Food Chem*. 2018;66(37):9704–18.
 42. Pal A, Toppo FA, Chaurasiya PK, Singour PK, Pawar RS. In-vitro cytotoxicity study of methanolic fraction from *Ajuga Bracteosa* wall ex . benth on MCF-7 breast adenocarcinoma and hep-2 larynx carcinoma cell lines. 2013;87–92.
 43. Mamadalieva NZ, El-readi MZ, Ovidi E, Ashour ML. constituents of *Ajuga turkestanica* Antiproliferative , antimicrobial and antioxidant activities of the chemical constituents of *Ajuga turkestanica*. 2013;(January).
 44. Qing X, Yan HM, Ni ZY, Vavricka CJ, Zhang ML, Shi QW, et al. Chemical and pharmacological research on the plants from genus *Ajuga*. *Heterocycl Commun*. 2017;23(4):245–68.
 45. Das N, Mishra SK, Bishayee A, Ali ES, Bishayee A. The phytochemical, biological, and medicinal attributes of phytoecdysteroids: An updated review. *Acta Pharm Sin B [Internet]*. 2021;11(7):1740–66. Available from: <https://doi.org/10.1016/j.apsb.2020.10.012>
 46. Kuhtinskaja M, Bragina O, Kulp M, Vaher M. Anticancer Effect of the Iridoid Glycoside Fraction from *Dipsacus fullonum* L. Leaves. *Nat Prod Commun*. 2020;15(9).
 47. Hashemi M, Ehsani A, Hassani A, Afshari A, Aminzare M, Sahranavard T, et al. Phytochemical, Antibacterial, Antifungal and Antioxidant Properties of *Agastache foeniculum* Essential Oil. *J Chem Heal Risks*. 2017;7(2):95–104.
 48. Carvalho AA, Andrade LN, De Sousa ÉBV, De Sousa DP. Antitumor phenylpropanoids found in essential oils. *Biomed Res Int*. 2015;2015.

49. Lashkari A, Najafi F, Kavooosi G, Niazi S. Evaluating the In vitro anti-cancer potential of estragole from the essential oil of *Agastache foeniculum* [Pursh .] Kuntze Biocatalysis and Agricultural Biotechnology Evaluating the In vitro anti - cancer potential of estragole from the essential oil of . Biocatal Agric Biotechnol [Internet]. 2020;27(July):101727. Available from: <https://doi.org/10.1016/j.bcab.2020.101727>
50. Selvi MT, Thirugnanasampandan R, Sundarammal S. Antioxidant and cytotoxic activities of essential oil of *Ocimum canum* Sims . from India. J SAUDI Chem Soc [Internet]. 2012;10–3. Available from: <http://dx.doi.org/10.1016/j.jscs.2011.12.026>
51. Julianto TS. Fitokimia Tinjauan Metabolit Sekunder dan Skrining Fitokimia [Internet]. Vol. 53, Journal of Chemical Information and Modeling. 2019. 1689–1699 p. Available from: <http://library.uui.ac.id>; e-mail: perpustakaan@uui.ac.id
52. Tepe B, Cakir A, Sihoglu Tepe A. Medicinal Uses, Phytochemistry, and Pharmacology of *Origanum onites* (L.): A Review. Chem Biodivers. 2016;13(5):504–20.
53. Spyridopoulou K, Fitsiou E, Bouloukosta E, Tiptiri-Kourpeti A, Vamvakias M, Oreopoulou A, et al. Extraction, Chemical Composition, and Anticancer Potential of *Origanum onites* L. Essential Oil. Molecules. 2019;24(14).
54. Fan K, Li X, Cao Y, Qi H, Li L, Zhang Q, et al. Carvacrol inhibits proliferation and induces apoptosis in human colon cancer cells. Anticancer Drugs. 2015;26(8):813–23.
55. Benites J, Ríos D, Guerrero-Castilla A, Enríquez C, Zavala E, Ybañez-Julca RO, et al. Chemical composition and assessment of antimicrobial, antioxidant and antiproliferative activities of essential oil from *clinopodium sericeum*, a Peruvian medicinal plant. Rec Nat Prod. 2021;15(3):175–86.
56. de Sousa MHO, Morgan JMS, Cesca K, Flach A, de Moura NF. Cytotoxic Activity of *Cunila angustifolia* Essential Oil. Chem Biodivers. 2020;17(2).
57. Moattar FS, Sariri R, Giahhi M, Yaghmaee P, Ghafoori H, Jamalzadeh L. Antioxidant and anti-proliferative activity of *calamintha officinalis* extract on breast cancer cell Line MCF-7. J Biol Sci. 2015;15(4):194–8.
58. Dosoky NS, Moriarity DM, Setzer WN. Phytochemical and biological investigations of *conradina canescens*. Nat Prod Commun. 2016;11(1):25–8.
59. Fulda S. Betulinic acid for cancer treatment and prevention. Int J Mol Sci. 2008;9(6):1096–107.
60. Rafi M, Purwakusumah E, Ridwan T, Barus B, Sutandi A, Darusman L. Geographical Classification of Java Tea (*Orthosiphon Stamineus*) From Java Island By Ftir Spectroscopy Combined With Canonical Variate Analysis. J Sains Dan Mat. 2015;23(1):25–31.
61. Saravanan R, Pemiah B, Narayanan M, Ramalingam S. In vitro cytotoxic and gas chromatography-mass spectrometry studies on *Orthosiphon stamineus* benth. (Leaf) against MCF-7 cell lines. Asian J Pharm Clin Res. 2017;10(3):129–35.
62. Saravanan R, Pemaiah B, Sridharan S, Narayanan M, Ramalingam S. Enhanced cytotoxic potential of *Orthosiphon stamineus* extract in MCF-7

- cells through suppression of nucleolin and BCL2. *Bangladesh J Pharmacol.* 2017;12(3):268–75.
63. Abu-Dahab R, Afifi F, Kasabri V, Majdalawi L, Naffa R. Comparison of the antiproliferative activity of crude ethanol extracts of nine salvia species grown in Jordan against breast cancer cell line models. *Pharmacogn Mag.* 2012;8(32):319–24.
 64. Abu-Dahab R, Abdallah MR, Kasabri V, Mhaidat NM, Afifi FU. Mechanistic studies of antiproliferative effects of *Salvia triloba* and *Salvia Dominica* (Lamiaceae) on breast cancer cell lines (MCF7 and T47D). *Zeitschrift fur Naturforsch - Sect C J Biosci.* 2014;69(11–12):443–51.
 65. Yang H, Ping Dou Q. Targeting Apoptosis Pathway with Natural Terpenoids: Implications for Treatment of Breast and Prostate Cancer. *Curr Drug Targets.* 2010;11(6):733–44.
 66. Kopustinskiene DM, Jakstas V, Savickas A, Bernatoniene J. Flavonoids as anticancer agents. *Nutrients.* 2020;12(2):1–25.
 67. Akkol EK, Genç Y, Karpuz B, Sobarzo-Sánchez E, Capasso R. Coumarins and coumarin-related compounds in pharmacotherapy of cancer. *Cancers (Basel).* 2020;12(7):1–25.
 68. Rivera D, Obon C, Cano F. The Botany , History And Traditional Uses Of Three-Lobed Sage (*Salvia Fruticosa* Miller) (Labiatae) The Botany , History and Traditional Uses of Three-Lobed Sage (*Salvia Fruticosa* Miller). 2015;(April 1994).
 69. Al-jaber HI, Shakya AK, Elagbar ZA. HPLC profiling of selected phenolic acids and flavonoids in *Salvia eigii* , *Salvia hierosolymitana* and *Salvia viridis* growing wild in Jordan and their in vitro antioxidant activity. 2020;
 70. Kahraman A, Celep F. Morphology , anatomy and palynology of *Salvia indica* L . (Labiatae). 2009;(March).
 71. Tayarani-najaran Z, Asili J, Aioubi E, Ahmad S. Growth Inhibition and Apoptosis Induction of *Salvia chloroleuca* on MCF-7 Breast Cancer Cell Line. 2013;12(August):789–99.
 72. Shakeri A, Delavari S, Nejad S, Asili J, Ahmad S, Tayarani-najaran Z. A new tricyclic abietane diterpenoid from *Salvia chloroleuca* and evaluation of cytotoxic and apoptotic activities. *Rev Bras Farmacogn [Internet].* 2019;29(1):30–5. Available from: <https://doi.org/10.1016/j.bjp.2018.09.007>
 73. Suzery M, Cahyono B. Evaluation of Cytotoxicity Effect of *Hyptis Pectinata* Poit (Lamiaceae) Extracts Using Bslt and Mtt Methods. *J Sains Dan Mat.* 2014;22(3):84-88–88.
 74. 132152-ID-senyawa-hiptolida-dan-pektinolida-dalam.pdf.
 75. Suzery M, Cahyono B, Amalina ND. Antiproliferative and apoptosis effect of hyptolide from *hyptis pectinata* (l.) poit on human breast cancer cells. *J Appl Pharm Sci.* 2020;10(2):1–6.
 76. Amalina ND, Suzery M, Cahyono B. Cytotoxic Activity of *Hyptis Pectinate* Extracts on MCF-7 Human Breast Cancer Cells. *Indones J Cancer Chemoprevention.* 2020;11(1):1.

LAMPIRAN 1

BUKTI SUBMIT *REVIEW* ARTIKEL

