

DAFTAR PUSTAKA

1. Akademik, K. R. S. (2018). *Universitas airlangga*. 031, 2018.
2. Al Hanbali, O. A., Khan, H. M. S., Sarfraz, M., Arafat, M., Ijaz, S., & Hameed, A. (2019). Transdermal patches: Design and current approaches to painless drug delivery. *Acta Pharmaceutica*, 69(2), 197–215. <https://doi.org/10.2478/acph-2019-0016>.
3. Alkilani, A. Z., McCrudden, M. T. C., & Donnelly, R. F. (2015). Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, 7(4), 438–470. <https://doi.org/10.3390/pharmaceutics7040438>.
4. Arunprasert, K., Pornpitchanarong, C., Rojanarata, T., Ngawhirunpat, T., Opanasopit, P., Aumklad, P., & Patrojanasophon, P. (2021). Development and evaluation of novel water-based drug-in-adhesive patches for the transdermal delivery of ketoprofen. *Pharmaceutics*, 13(6). <https://doi.org/10.3390/pharmaceutics13060789>.
5. Auliya, S., & Darma, G. C. E. (2019). Formulasi Patch Transdermal Natrium Diklofenak Tipe Matriks dengan Kombinasi Polimer HPMC dan Kitosan Serta Peningkat Penetrasi Transcutol. *Prosiding Farmasi*, 5(2), 233–240.
6. Bahrudin, M. (2018). Patofisiologi Nyeri (Pain). *Saintika Medika*, 13(1), 7. <https://doi.org/10.22219/sm.v13i1.5449>.
7. Baral P, Bhattarai A, Shahi L, Shrestha R, Adhikari S, & Giri A. (2020).

Formulation and Characterization of Diclofenac Potassium Transdermal Patch-es Prepared with Ficus auriculata Fruit Mucilage and Hydroxypropyl Methyl Cellulose K4M. December.
www.annexpublishers.com.

8. Barros, N. R. de, Chagas, P. A. M., Borges, F. A., Gemeinder, J. L. P., Miranda, M. C. R., Garms, B. C., & Herculano, R. D. (2015). Diclofenac Potassium Transdermal Patches Using Natural Rubber Latex Biomembranes as Carrier. *Journal of Materials*, 2015, 1–7. <https://doi.org/10.1155/2015/807948>.
9. Bhaskar, H., Kapoor, P., & Ragini. (2010). Comparison of transdermal diclofenac patch with oral diclofenac as an analgesic modality following multiple premolar extractions in orthodontic patients: A cross over efficacy trial. *Contemporary Clinical Dentistry*, 1(3), 158. <https://doi.org/10.4103/0976-237x.72783>.
10. Biocic, M., Vidosevic, D., Boric, M., Boric, T., Giunio, L., Fabijanic, D., & Puljak, L. (2017). Anesthesia and perioperative pain management during cardiac electronic device implantation. *Journal of Pain Research*, 10, 927–932. <https://doi.org/10.2147/JPR.S132241>.
11. Charecterisation, F., Of, E., Patches, T., Ketoprofen, O. F., Different, W., & Concentration, P. (2020). *World Journal of Pharmaceutical Research FORMULATION CHARECTERISATION AND IN VITRO EVALUATION OF TRANSDERMAL PATCHES OF KETOPROFEN*. 9(3), 710–721. <https://doi.org/10.20959/wjpr20203-16756>.

12. Depkes RI. (1995). Farmakope Indonesia edisi IV. In *Departemen Kesehatan Republik Indonesia*.
13. Giannopoulou, I., Saïs, F., & Thomopoulos, R. (2015). Linked data annotation and fusion driven by data quality evaluation. *Revue Des Nouvelles Technologies de l'Information*, E.28, 257–262.
14. Handayani, R., & Kautsar, A. P. (2018). Strategi Baru Sistem Penghantaran Obat Transdermal Menggunakan Peningkat Penetrasi Kimia. *Farmaka*, 15(3), 24–36.
15. Hendradi, E., Isnaeni, Fridayanti, A., & E. Pujiarti. (2011). Optimasi sediaan transdermal patch natrium diklofenak tipe matriks. *Jumal Farmasi Indonesia*, 5(3), 112–119.
16. Hutahuruk, T., Rosita, A., & Oktavianawati, I. (2014). Sintesis Asam 2-(2-(n-(2,6-diklorofenil)-4 fluorobenzamida)fenil)asetat sebagai Kandidat Obat Penghambat COX (siklooksigenase). *E-Jurnal Pustaka Kesehatan*, 2(2), 215–220.
17. Imananta, F. P., & Sulistiyaningsih. (2018). ARTIKEL TINJAUAN: PENGGUNAAN NSAIDs (NON STEROIDAL ANTI INFLAMATION DRUGS) MENGINDUKSI PENINGKATAN TEKANAN DARAH PADA PASIEN ARTHRITIS. *Farmaka*, 16, 72–79.
18. Jadhav, R. T., Kasture, P. V., Gattani, S. G., & Surana, S. J. (2010). Formulation and evaluation of transdermal films of diclofenac sodium. *International Journal of ChemTech Research*, 2(1), 354–360. <https://doi.org/10.19080/gjpps.2018.04.555647>.

19. Jhawar, V. C., Saini, V., Kamboj, S., & Maggon, N. (2013). *Transdermal_Drug_Delivery_Systems_Approa*. 20(1), 47–56.
20. Kalangi, S. J. R. (2014). Histofisiologi Kulit. *Jurnal Biomedik (Jbm)*, 5(3), 12–20. <https://doi.org/10.35790/jbm.5.3.2013.4344>.
21. Kim, D. H., Yoon, K. B., Park, S., Jin, T. E., An, Y. J., Schepis, E. A., & Yoon, D. M. (2014). Comparison of NSAID patch given as monotherapy and NSAID patch in combination with transcutaneous electric nerve stimulation, a heating pad, or topical capsaicin in the treatment of patients with myofascial pain syndrome of the upper trapezius: A pilot st. *Pain Medicine (United States)*, 15(12), 2128–2138. <https://doi.org/10.1111/pme.12611>.
22. Kumar, R., & Kumar, S. (2020). *ETHOSOMES: The Promising Carriers for the Transdermal Delivery of Drugs*. 15(4), 11–17. <https://doi.org/10.9790/3008-1504021117>.
23. Kusumastuti, E., Handajani, J., & Susilowati, H. (2014). Ekspresi COX-2 dan Jumlah Neutrofil Fase Inflamasi pada Proses Penyembuhan Luka Setelah Pemberian Sistemik Ekstrak Etanolik Rosela (*Hibiscus sabdariffa*) (studi in vivo pada Tikus Wistar). *Majalah Kedokteran Gigi Indonesia*, 21(1), 13. <https://doi.org/10.22146/majkedgiind.8778>.
24. Lakshmi, P. K., Kalpana, B., & Prasanthi, D. (2014). *Invasomes-novel Vesicular Carriers for Enhanced Skin Permeation*. 4(1), 26–30. <https://doi.org/10.4103/0975-8453.135837>.
25. Latheeshjall, L., Phanitejaswini, P., Soujanya, Y., Swapna, U., Sarika, V.,

- & Moulika, G. (2011). Transdermal drug delivery systems: An overview. *International Journal of PharmTech Research*, 3(4), 2140–2148.
26. Nauman Rahim Khan. (2012). Formulation, physical, in vitro and ex vivo evaluation of diclofenac diethylamine matrix patches containing turpentine oil as penetration enhancer. *African Journal of Pharmacy and Pharmacology*, 6(6), 434–439. <https://doi.org/10.5897/ajpp11.888>.
27. Ningtyas, K. W., Zulfikar, & Piluharto, B. (2015). Identifikasi Ibuprofen, Ketoprofen dan Diklofenak Menggunakan Test Strip Berbasis Reagen Spesifik yang Diimobilisasi pada Membran Nata De Coco. *Jurnal Ilmu Dasar*, 16(2), 49–54.
28. Nur Ramadhani, & Sri Adi Sumiwi. (2013). Aktivitas Antiinflamasi Berbagai Tanaman Diduga Berasal Dari Flavonoid. *Farmaka*, 14(2), 111–123.
29. Parivesh, S., Sumeet, D., & Abhishek, D. (2010). Design, Evaluation, Parameters and Marketed Products of transdermal patches: A Review. *Journal of Pharmacy Research*, 3(2), 235–240.
30. Pastore, M. N., Kalia, Y. N., Horstmann, M., & Roberts, M. S. (2015). Transdermal patches: History, development and pharmacology. *British Journal of Pharmacology*, 172(9), 2179–2209. <https://doi.org/10.1111/bph.13059>.
31. Patel, D., Chaudhary, S. A., Parmar, B., & Bhura, N. (2012). THE PHARMA INNOVATION Transdermal Drug Delivery System: A Review. *The Pharma Innovation*, 1(4), 66–75. www.thepharmajournal.com.

32. Perintis, S. (2016). *Scientia Vol 6 , No 1 Th 2016*. 6(1).
33. Purnama, H., & Mita, S. R. (2018). Review Artikel: Studi In-Vitro Ketoprofen Melalui Rute Transdermal. *Farmaka*, 14(1), 70–80.
34. Purnamasari, N., Alatas, F., & Gozali, D. (2019). Formulasi Dan Evaluasi Transdermal Patch Kalium Diklofenak. *Kartika : Jurnal Ilmiah Farmasi*, 7(1), 43. <https://doi.org/10.26874/kjif.v7i1.209>.
35. Rajan, R., & Vasudevan, D. T. (2012). Effect of permeation enhancers on the penetration mechanism of transdermal gel of ketoconazole. *Journal of Advanced Pharmaceutical Technology and Research*, 3(2), 112–116. <https://doi.org/10.4103/2231-4040.97286>.
36. Rao, M. R., Sonavane, V., Kulkarni, S., Magar, M., Zope, A., & Karanjkar, P. (2019). Design of transdermal patch of ketoprofen by full factorial design for treatment of rheumatoid arthritis. *Journal of Drug Delivery and Therapeutics*, 9(2), 197–205. <https://doi.org/10.22270/jddt.v9i2.2549>.
37. Rastogi, V., & Yadav, P. (2012). Transdermal drug delivery system: An overview. *Asian Journal of Pharmaceutics*, 6(3), 161–170. <https://doi.org/10.4103/0973-8398.104828>.
38. Rifqiani, A., Desnita, R., & Luliana, S. (2019). Pengaruh Penggunaan Peg 400 Dan Gliserol Sebagai Plasticizer Terhadap Sifat Fisik Sediaan Patch Ekstrak Etanol Herba Pegagan. *Jurnal Mahasiswa Farmasi Fakultas Kedokteran UNTAN*, 4(1), 1–10.
39. Setyawan, E. I., Warditiani, N. K., & Dewi, S. M. (2012). *Pengaruh Penggunaan Propilenglikol dan Mentol Terhadap Matrik*.

40. Shivalingam, M. R., Durgabhavani, G., Vaishnavi, K., & Priyanka, K. (2014). Formulation and evaluation of Diclofenac potassium transdermal patches for enhanced therapeutic efficacy. *Indian Journal of Research in Pharmacy and Biotechnology*, 2(3), 1152–1157. [http://www.ijrpb.com/current issues/1/v2_is3/ijrpb 2\(3\) 3 siva lingam 1152-1157.pdf](http://www.ijrpb.com/current issues/1/v2_is3/ijrpb 2(3) 3 siva lingam 1152-1157.pdf).
41. Soleha, T. U., Agungyudistira, M. P., Mikrobiologi, B., Lampung, U., Kedokteran, F., & Lampung, U. (2016). *Blueberry (Vaccinium Corymbosum) dalam Menghambat Proses Inflamasi Blueberry (Vaccinium corymbosum) for Inhibiting the Proccess of Inflammation*. 5, 63–67.
42. Suksaeree, J., Monton, C., Sakunpak, A., & Charoonratana, T. (2014). Formulation and In vitro study of ketoprofen pseudolatex gel for transdermal drug delivery systems. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(2), 248–253.
43. Unud-jimbaran, J. K. (2011). *OPTIMASI FORMULA MATRIKS PATCH KETOPROFEN TRANSDERMAL MENGGUNAKAN KOMBINASI ASAM OLEAT DAN MINYAK ATSIRI BUNGA CEMPAKA PUTIH (Michelia alba) SEBAGAI PERMEATION ENHANCER*.
44. Wang, M., Li, L., Xie, J., Sun, Y., Ling, G., & He, Z. (2017). Transdermal Adhesive Patches Loaded with Ketoprofen Evaluated by Dynamic Detection of Percutaneous Absorption. *AAPS PharmSciTech*, 18(6), 2141–2148. <https://doi.org/10.1208/s12249-016-0695-8>.
45. Wardani, V. K., & Saryanti, D. (2021). Formulasi Transdermal Patch

Ekstrak Etanol Biji Pepaya (*Carica papaya* L.) dengan Basis Hydroxypropil Metilcellulose (HPMC). *Smart Medical Journal*, 4(1), 38. <https://doi.org/10.13057/smj.v4i1.43613>.


46. Zhang, Y., Cun, D., Kong, X., & Fang, L. (2014). Design and evaluation of a novel transdermal patch containing diclofenac and teriflunomide for rheumatoid arthritis therapy. *Asian Journal of Pharmaceutical Sciences*, 9(5), 251–259. <https://doi.org/10.1016/j.ajps.2014.07.007>





LAMPIRAN

BUKTI SUBMISION



Gambar IV.1 Bukti *submission* artikel review