

## DAFTAR PUSTAKA

1. Joseph T. DiPiro, Robert L. Talbert, Gary C. Yee, Gary R. Matzke, Barbara G. Wells LMP. *Pharmacotherapy: A Pathophysiologic Approach, Tenth Edition*. McGraw-Hill Education; 2017. doi:10.1093/ajhp/54.14.1668
2. IDF. *IDF Diabetes Atlas Ninth Edition 2019*. International Diabetes Federation; 2019.
3. Kemenkes RI. *INFODATIN Pusat Data Dan Informasi Kementerian Kesehatan 2020 Diabetes Melitus*. Kementerian Kesehatan RI; 2020.
4. Elfahmi, Woerdenbag HJ, Kayser O. Jamu: Indonesian traditional herbal medicine towards rational phytopharmacological use. *J Herb Med.* 2014;4(2):51-73. doi:10.1016/j.hermed.2014.01.002
5. Silalahi M. Urena lobata Pemanfaatan sebagai obat tradisional. *J Kesehat Masy.* 2020;6(2):114-120.
6. Association American Diabetes. Classification and diagnosis of diabetes: Standards of medical care in diabetes 2019. *Diabetes Care.* 2019;42(January):S13-S28. doi:10.2337/dc19-S002
7. WHO. Clasification of diabetes mellitus 2019. Vol 21. World Health Organization; 2019. doi:10.5005/jp/books/12855\_84
8. Soelistijo SA. *PEDOMAN Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia 2019*. Perkumpulan Endokrinologi Indonesia; 2019.

9. Decroli E. *DIABETES MELITUS TIPE 2*. Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas; 2019.
10. Irdalisa, Safrida, Khairil, Abdullah, Sabri M. Profil Kadar Glukosa Darah Pada Tikus Setelah Penyuntikan Aloksan Sebagai Hewan Model Hiperglikemik. *J Edubio Trop*. 2015;3(1):25-28.
11. Cheekati RR, Rao AS, Vijayaraghavan R. A histological study of alloxan-induced diabetes on experimental male wistar rats. *Natl J Physiol Pharm Pharmacol*.2017;7(12):1329-1334.  
doi:10.5455/njppp.2017.7.0622711072017
12. Macdonald O, Mohammed A. Alloxan-induced diabetes , a common model for evaluating the glycemic-control potential of therapeutic compounds and plants extracts in experimental studies. 2018;3.
13. Harijanto EA, Dewajanti AM. Optimalisasi Pemberian Streptozotocin Beberapa Dosis terhadap Peningkatan Kadar Gula Darah Tikus Sprague dawley. *J Kedokt Meditek*. 2017;23(63):12-18.
14. Saputra NT, Suartha IN, Dharmayudha AAGO. Agen Diabetagonik Streptozotocin untuk Membuat Tikus Putih Jantan Diabetes Mellitus. *Bul Vet Udayana*. 2018;10(2):116. doi:10.24843/bulvet.2018.v10.i02.p02
15. Marliyati SA, Roosita K. Model tikus diabetes yang diinduksi streptozotocin-sukrosa untuk pendekatan penelitian diabetes. *J Media Kesehat Masy Indones*. 2016;12(1):29-34.
16. Febrina M, Sari SF. pengaruh pemberian infusa daun kersen (*Muntingia calabura L.*) terhadap kadar glukosa darah mencit (*Mus musculus*) yang

- diberi beban glukosa. *J Penelit Farm Indones.* 2019;8(2):60-66.  
<http://ejournal.stifar-riau.ac.id/index.php/jpfi/article/view/783/57>
17. Sufia F, Fikri Z. Pengaruh Kadar Glukosa Urine Metode Benedict, Fehling Dan Stick Setelah Ditambahkan Vitamin C Dosis Tinggi / 1000 mg. *J Anal Med Bio Sains.* 2018;5(2):1-5. <http://jambs.poltekkes-mataram.ac.id/index.php/home/article/view/118/97>
  18. Kurniyawati A, Fadhilah F, Nopiani A. Perbandingan Reduksi Glukosa Pada Urin Menggunakan Pemanasan Api Spirtus. *J Teknol Kesehat.* 2019;15(1):33-38.
  19. Fahmi NF, Firdaus N, Putri N. Recieved: Februari 2020 Final Revision: Februari 2020 Available Online: Maret 2020 K. *J Ilm ilmu keperawatan.* Published online 2020:1-11.
  20. Susiwati S. perbedaan kadar glukosa darah pasien diebetes mellitus tipe2 pada plasma naf berdasarkan waktu pemeriksaan di rsu dr. M. Yunus provinsi bengkulu tahun 2017. *J Nurs Public Heal.* 2018;6(1):82-87. doi:10.37676/jnph.v6i1.502
  21. Subiyono, Martsiningsih MA, Gabrela D. Gambaran kadar glukosa darah metode GOD-PAP (Glucose Oksidase – Peroxidase Aminoantypirin) sampel serum dan plasma EDTA (Ethylen Diamin Terta Acetat). *J Teknol Lab.*2016;5(1):45-48.
  22. Subhashini Shandilya and VP. chemical constutien & Pharmacological effect of hibiscus rosa-sinensis (China rose) – a review. *World J Pharm Res.* 2021;10(1):858-869. doi:10.20959/wjpr20211-19535

23. Silalahi M. Hibiscus rosa-sinensis dan Bioaktivitasnya. *J EduMatSains*. 2019;3(2):133-146.
24. Pakaya D, Dewi M, Antari AL, Saraswati I. Ekstrak Hibiscus rosa-sinensis L. Memperbaiki Kadar Glukosa Darah Puasa dan Jumlah Sel Mast pada Model Tikus Diabetes Terinfeksi Mycobacterium tuberculosis. *J Farm Galen (Galenika J.Pharmacy)*.2020;6(1):14-19. doi:10.22487/j24428744.2020.v6.i1.13930
25. Rao K, Raja AM, Banji D. Quality control study and standardization of Hibiscus rosasinensis l. flowers and leaves as per WHO guidelines. *J Pharmacogn Phytochem JPP*. 2014;29(34):29-37.
26. Islam M. Food and Medicinal Values of Roselle ( Hibiscus sabdariffa L . Linne Malvaceae ) Plant Parts : A Review. 2019;1(June):14-20.
27. Dahlia AA, Amin A, Lestari R. Identifikasi Morfologi dan Parameter Spesifik Simplisia dan Ekstrak Daun Rosella (Hibiscus sabdariffa L.) Asal KAB. Enrekang (Sulawesi Selatan). *As-Syifaa*. 2012;04(02):159-175.
28. Pangaribuan L. Pemanfaatan Masker Bunga Rosela untuk Pencerahan Kulit Wajah. *J Kel Sehat Sejah*. 2016;14(28):46-58.
29. Nurnasari E, Khuluq AD. Potensi Diversifikasi Rosela Herbal (Hibiscus sabdariffa L.) untuk Pangan dan Kesehatan. *Bul Tanam Tembakau, Serat Miny Ind*. 2018;9(2):82. doi:10.21082/btsm.v9n2.2017.82-92
30. Oppong Bekoe E, Kitcher C, Agyei GA, Frimpong-Manso S. Pharmacognostic Characteristics of Hibiscus sabdariffa L. as a Means of Monitoring Quality. *Res J Pharmacogn*. 2020;7(3):55-63.

doi:10.22127/rjp.2020.220695.1560

31. Tripathi DK., Warriar DR, Ahuja DV. Series of Crop Specific Biology Documents Biology of *Abelmoschus esculentus* L. (Okra). Published online 2011:1-35.
32. Zulkarnaen, Zulkifli. Respon Pertumbuhan dan Produksi Tanaman Okra Hijau (*Abelmoschus esculentus* L.) Terhadap Pemberian Pupuk Kandang Sapi dan Pupuk NPK Mutiara. *J Agriflora*. 2019;3(2):131-138.
33. Yora M, Syukur M, Sobir. Characterization of phytochemicals and yield components in various okra (*Abelmoschus esculentus*) genotypes. *Biodiversitas*. 2018;19(6):2323-2328. doi:10.13057/biodiv/d190641
34. Alkandahri MY, Patala R, Pratiwi MI, Agustina LS. Pharmacological Studies of *Durio Zibethinus* : A Medicinal Plant Review. 2021;25(4):640-646.
35. Yuniastuti E, Nandariyah N, Bukka SR. Karakterisasi Durian (*Durio zibethinus*) Ngrambe di Jawa Timur, Indonesia. *Caraka Tani J Sustain Agric*. 2018;33(2):136. doi:10.20961/carakatani.v33i2.19610
36. Aziz NAA, Jalil AMM. Bioactive compounds, nutritional value, and potential health benefits of indigenous durian (*Durio zibethinus* Murr.): A review. *Foods*. 2019;8(3). doi:10.3390/foods8030096
37. Sonia R, Yusnelti Y, Fitrianiingsih F. Efektivitas Ekstrak Etanol Daun Durian (*Durio zibethinus* (Linn.)) sebagai Antihiperurisemia. *J Kefarmasian Indones*. 2020;10(2):130-139. doi:10.22435/jki.v10i2.2148

38. Jain A, Choubev S, Singour PK, Rajak H, Pawar RS. *Sida cordifolia* (Linn) - An overview. *J Appl Pharm Sci*. 2011;1(2):23-31.
39. Augustus Arul AA, Ida JC. Morphological and Anatomical Variations Seen in *Sida L.*, Kanyakumari District, Tamilnadu. *Int J Sci Res Publ*. 2017;7(6):296. [www.ijsrp.org](http://www.ijsrp.org)
40. Momin MAM, Bellah SF, Rahman SMR, Rahman AA, Murshid GMM, Emran T Bin. P hytopharmacological roots evaluation of ethanol extract of *Sida cordifolia L.* *Asian Pac J Trop Biomed*. 2014;4(1):18-24. doi:10.1016/S2221-1691(14)60202-1
41. Chowdhury NS, Farjana F, Jamaly S, Begum MN, Zenat MEA. Pharmacological Values and Phytochemical Properties of Devil's Cotton (*Ulatkambal*) - A Review. *Bangladesh Pharm J*. 2019;22(1):109-116. doi:10.3329/bpj.v22i1.40082
42. Saini A, Gahlawat DK, Chauhan C, et al. Ethnomedicinal uses and phytochemistry of *Abutilon indicum* (Linn.) Sweet: an overview. *J Pharmacogn Phytochem*. 2015;3(5):66-72.
43. Khanra R, Dewanjee S, K Dua T, et al. *Abroma augusta L.* (Malvaceae) leaf extract attenuates diabetes induced nephropathy and cardiomyopathy via inhibition of oxidative stress and inflammatory response. *J Transl Med*. 2015;13(1):1-14. doi:10.1186/s12967-014-0364-1
44. Pratiwi RH. Potensi Kapuk Randu (*Ceiba pentandra gaertn.*) dalam penyediaan obat herbal. *E-Journal WIDYA Kesehat Dan Lingkungan*. 2014;1:53-60.

45. Anilkumar JK and M. Pharmacognostical studies in the leaves of *Ceiba pentandra* (L.) Gaertn. *Res J Pharmacogn Phytochem.* 2018;10(4):291. doi:10.5958/0975-4385.2018.00047.x
46. Nkouam GB, Adjoh G, Leudeu CBT, Kouebou C, Tchiegang C, Kapseu C. Local uses of kapok (*Ceiba pentandra* Gaertn.) Tree from the Northern Part of Cameroon. *Int J Environ Agric Biotechnol.* 2017;2(4):2214-2219. doi:10.22161/ijeab/2.4.82
47. Mahalik, Gyanranjan and Jali, Pallavi and Satapathy, Kunja Bihari and Sahoo S. Review on Ethnomedicinal, Pharmacological and Phytochemical Constituents of *Abutilon Indicum* (L.) Sweet. *J Gujarat Res Soc.* 2019;21(2):334-340.
48. Sharma A, Sharma RA, Singh H. Phytochemical and pharmacological profile of *Abutilon Indicum* L. sweet: A review. *Int J Pharm Sci Rev Res.* 2013;20(1):120-127.
49. Islam M, Uddin M. A revision on *Urena lobata* L. *Int J Med.* 2017;5(1):126. doi:10.14419/ijm.v5i1.7525
50. Fitmawati EJ. *TANAMAN OBAT Dari Semak Semak Menjadi Obat.* UR Press; 2017. <http://library1.nida.ac.th/termpaper6/sd/2554/19755.pdf>
51. Anas Badrunasar HBS. *TUMBUHAN LIAR BERKHASIAT SEBAGAI OBAT.* FORDA PRESS; 2017.
52. Doti Wahyuningsih YP. Extracts Efek Antidiabetes dari *Urena lobata* : Studi Pendahuluan pada Ekstrak Daun dengan Pelarut. *J Kedokt Brawijaya.* 2018;30(01):1-6. doi:<http://dx.doi.org/10.21776/ub.jkb.xxxx.xxx.xx.x>

53. Silalahi M. Urena lobata pemanfaatan sebagai obat tradisional. *J Kesehatan Masy.* 2020;6(2):114-120. doi:<http://dx.doi.org/10.35329/jkesmas.v6i2>
54. Pethe M, Yelwatkar S, Gujar V, Varma S, Manchalwar S, Professor A. Antidiabetic, Hypolipidimic and Antioxidant Activities of Hibiscus Rosa Sinensis Flower Extract in Alloxan Induced Diabetes in Rabbits. *Int J Biomed Adv Res.* 2017;8(04):14. doi:<https://dx.doi.org/10.7439/ijbar>
55. Lina HZ, Samy MM, Samir AEB, Fatma AM, Kawther MT, Abdelaaty AS. Hypoglycemic and antioxidant effects of Hibiscus rosa-sinensis L. leaves extract on liver and kidney damage in streptozotocin induced diabetic rats. *African J Pharm Pharmacol.* 2017;11(13):161-169. doi:[10.5897/ajpp2017.4764](https://doi.org/10.5897/ajpp2017.4764)
56. Wisetmuen E, Pannangpetch P, Kongyingyoes B, Kukongviriyapan U, Yutanawiboonchai W, Itharat A. Insulin secretion enhancing activity of roselle calyx extract in normal and streptozotocin-induced diabetic rats. *Pharmacognosy Res.* 2013;5(2):65-70. doi:[10.4103/0974-8490.110520](https://doi.org/10.4103/0974-8490.110520)
57. Obouayeba AP, Djyh NB, Diabate S, et al. Phytochemical and antioxidant activity of roselle (Hibiscus Sabdariffa L.) petal extracts. *Res J Pharm Biol Chem Sci.* 2014;5(2):1453-1465.
58. Peter EL, Nagendrappa PB, Ajayi CO, Sesaazi CD. Total polyphenols and antihyperglycemic activity of aqueous fruits extract of Abelmoschus esculentus: Modeling and optimization of extraction conditions. *PLoS One.* 2021;16(4 April):1-16. doi:[10.1371/journal.pone.0250405](https://doi.org/10.1371/journal.pone.0250405)

59. Sabitha V, Ramachandran S, Naveen KR, Panneerselvam K. Antidiabetic and antihyperlipidemic potential of *Abelmoschus esculentus* (L.) Moench. in streptozotocin-induced diabetic rats. *J Pharm Bioallied Sci.* 2011;3(3):397-402. doi:10.4103/0975-7406.84447
60. Muhtadi, Primarianti AU, Sujono TA. Antidiabetic Activity of Durian (*Durio Zibethinus* Murr.) and Rambutan (*Nephelium Lappaceum* L.) Fruit Peels in Alloxan Diabetic Rats. *Procedia Food Sci.* 2015;3:255-261. doi:10.1016/j.profoo.2015.01.028
61. Romatua Aruan DG, Barus T, Haro G, Siburian R, Simanjuntak P. Phytochemical Screening and Antidiabetic Activity of N-Hexane, Ethyl Acetate and Water Extract from Durian Leaves (*Durio Zibethinus* L.). *Orient J Chem.* 2019;35(1):487-490. doi:10.13005/ojc/350166
62. Ahmad M, Prawez S, Sultana M, et al. Anti-hyperglycemic, anti-hyperlipidemic and antioxidant potential of alcoholic-extract of *Sida cordifolia* (Areal Part) in streptozotocin-induced- diabetes in wistar-rats. *Proc Natl Acad Sci India Sect B - Biol Sci.* 2014;84(2):397-405. doi:10.1007/s40011-013-0218-2
63. Odoh UE, Onugha VO, Chukwube VO. Evaluation of antidiabetic effect and hematological profile of methanol extract of *Ceiba pentandra* G (Malvaceae) stem bark on alloxan-induced diabetic rats. *African J Pharm Pharmacol.* 2016;10(28):584-590. doi:10.5897/ajpp2015.4469
64. Muhammad HL, Kabiru AY, Busari MB, et al. Acute oral toxicity study of ethanol extract of *Ceiba pentandra* leaves as a glucose lowering agent in

- diabetic rats. *J Acute Dis.* 2016;5(3):237-243.  
doi:10.1016/j.joad.2016.03.012
65. Konsue A, Talubmook C. Effect of thai folklore recipe from abutilon indicum and mimosa pudica in streptozotocin-induced diabetic rats. *Pharmacogn J.* 2018;10(3):480-485. doi:10.5530/pj.2018.3.79
66. Islam MH, Rahman KMH, Rahman S, Rahmatullah M. Preliminary antihyperglycemic , antinociceptive activity , phytochemical analysis and toxicity studies on leaves of Urena lobata L . *J Chem Pharm.* 2015;7(4):559-563.
67. Dianasari D, Fajrin FA. Uji Aktivitas Antidiabetes Ekstrak Air Kelopak Bunga Rosella ( Hibiscus sabdariffa L .) pada Tikus dengan Metode Induksi Aloksan. *Farm Sains dan Terap.* 2015;2(1):0-4.  
doi:org/10.33508/jfst.v2i1.812
68. Roy A, Shrivastava SL, Mandal SM. Functional properties of Okra Abelmoschus esculentus L. (Moench): traditional claims and scientific evidences. *Plant Sci Today.* 2014;1(3):121-130.  
doi:10.14719/pst.2014.1.3.63
69. Amir MN, Sulitiani Y, Indriani I, Aktivitas antidiabetes mellitus tanaman durian (*Durio zibethinus Murr.*) terhadap kadar glukosa darah puasa mencit yang diinduksi aloksan. *Maj Farm dan Farmakol.* 2020;23(3):75-78.  
doi:10.20956/mff.v23i3.9396
70. Ahmad M, Prawez S, Sultana M, et al. Antidiabetic Effect of Sida Cordifolia (Aqueous Extract) on Diabetes Induced in Wistar Rats Using Streptozotocin


and Its Phytochemistry. *Int J Pharm Res Innov.* 2015;8:1122.

71. Islam MT, Rahman MA, Islam MA-U. In vitro Effect of Aqueous Extract of Fresh Leaves of *Abroma augusta* L on the Diffusion of Glucose. *Bangladesh Pharm J.* 2013;16(1):21-26. doi:10.3329/bpj.v16i1.14486
72. Fofié CK, Nguenefack-Mbuyo EP, Tsabang N, Kamanyi A, Nguenefack TB. Hypoglycemic properties of the aqueous extract from the stem bark of *ceiba pentandra* in dexamethasone-induced insulin resistant rats. *Evidence-based Complement Altern Med.* 2018;2018. doi:10.1155/2018/4234981
73. Fofie CK, Wansi SL, Nguenefack-Mbuyo EP, et al. In vitro anti-hyperglycemic and antioxidant properties of extracts from the stem bark of *Ceiba pentandra*. *J Complement Integr Med.* 2014;11(3):185-193. doi:10.1515/jcim-2014-0031
74. Nguenefack TB, Fofie CK, Nguenefack-Mbuyo EP, Wuyt AK, Ajayi AF. Multimodal  $\alpha$ -Glucosidase and  $\alpha$ -Amylase Inhibition and Antioxidant Effect of the Aqueous and Methanol Extracts from the Trunk Bark of *Ceiba pentandra*. *Biomed Res Int.* 2020;2020. doi:10.1155/2020/3063674
75. Baek SJ, Krisanapun C, Lee SH, Peungvicha P, Tamsiririrkkul R. Antidiabetic activities of *abutilon indicum* (L.) sweet are mediated by enhancement of adipocyte differentiation and activation of the GLUT1 promoter. *Evidence-based Complement Altern Med.* 2011;2011. doi:10.1093/ecam/neq004
76. Ademiluyi AO, Oboh G. Aqueous extracts of roselle (*Hibiscus sabdariffa* Linn.) varieties inhibit  $\alpha$ -amylase and  $\alpha$ -glucosidase activities in vitro. *J Med*

- Food*. 2013;16(1):88-93. doi:10.1089/jmf.2012.0004
77. Riyanti S, Ratnawati J, Aprilianti S. Potensi buah okra ( *Abelmoschus esculentus* ( L .) Moench ) sebagai inhibitor alfa-glukosidase. *J Ilm Farm*. 2018;6(1):6-10. doi:10.26874/kjif.v6i1.122
78. Evary YM, Nugroho AE, Pramono S. Comparative study on DPPH free radical scavenging and alpha-glucosidase inhibitory activities of ethanolic extracts from different parts of durian plant (*Durio zibethinus murr.*). *Food Res*. 2019;3(5):463-468. doi:10.26656/fr.2017.3(5).085
79. Syihabudin V, Sari BL, Utami NF, Apriliani NA. Inhibitory activity of  $\alpha$ -glucosidase of bark of *Ceiba pentandra* Linn. *Indones J Pharm*. 2018;29(4):206-213. doi:10.14499/indonesianjpharm29iss4pp206
80. Arce F V., Dela Concepcion JE, Mayol KMC, See GLL. In vitro  $\alpha$ -amylase and  $\alpha$ -glucosidase inhibition activity of tabing abutilon indicum (Linn 1836) root extracts. *Int J Toxicol Pharmacol Res*. 2016;8(5):391-396.
81. Herdiani N, Wikurendra EA. Efek Antioksidan Ekstrak Kelopak Rosella Terhadap Glukosa Darah Tikus Diabetes Mellitus Tipe 2 Effect of Antioxide and Rosella Weld Extract on Blood Glucose of Diabetes Mellitus Type 2. *An-Nadaa J Kesehat Masy*. 2020;7(2):89-93.
82. Widyasanti A, Rohdiana D, Ekatama N. Aktivitas Antioksidan Ekstrak Teh Putih (*Camellia sinensis*) dengan Metode DPPH (2,2 Difenil-1-Pikrilhidrazil). *J Fortech*. 2016;1(1):2016. doi:https://doi.org/10.17509/edufortech.v1i1.3966

# LAMPIRAN 1

## BUKTI SUBMIT/PUBLIKASI



**Gambar I.1** Bukti submit/publikasi

## DATA RIWAYAT HIDUP



Nama : Ceceng Fajar Muharam

Tempat, tanggal lahir : Garut, 08 Mei 1997

Alamat : Kp. Cikaso Rt.003/Rw.010

Desa. Rancasalak

Kec. Kadungora

Kab. Garut

Kewarganegaraan : Indonesia

Status pendidikan : Sarjana

Email : [Cecengfajarmuharam@gmail.com](mailto:Cecengfajarmuharam@gmail.com)

No. hp : 082216395885

Keahlian : Farmakologi

## RIWAYAT PENDIDIKAN

Jenjang Pendidikan	Nama Sekolah/Perguruan Tinggi	Tahun Masuk	Tahun Lulus
SD/MI	SD Negeri Rancasalak IV	2004	2010
SMP/MTs	MTs. AL-Ma'arif Cilageni	2010	2013
SMA/MA/SMK	SMK Muhammadiyah 2 Kadungora	2013	2016
Perguruan Tinggi	Universitas garut	2017	2021