

DAFTAR PUSTAKA

1. Asante DB, Effah-Yeboah E, Barnes P, Abban HA, Ameyaw EO, Boampong JN, et al. Corrigendum to “Antidiabetic Effect of Young and Old Ethanolic Leaf Extracts of *Vernonia amygdalina*: A Comparative Study.” *J Diabetes Res.* 2017;2017:5618548.
2. PERKENI. *Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia.* 2019.
3. Onoja SO. Potential antidiabetic and antioxidant activities of a heliangolide sesquiterpene lactone isolated from *Helianthus annuus* L . leaves. 2020;70:215–26.
4. Ibu K, Dengan H. *HIGEIA JOURNAL OF PUBLIC HEALTH.* 2017;1(4):131–42.
5. American Diabetes Association. Updates to the Standards of Medical Care in Diabetes-2018. Vol. 41, *Diabetes care.* 2018. 2045–2047 p.
6. Riskesdas K. Hasil Utama Riset Kesehata Dasar (RISKESDAS). *J Phys A Math Theor* [Internet]. 2018;448:1–200. Available from: <http://arxiv.org/abs/1011.1669%0Ahttp://dx.doi.org/10.1088/1751-8113/44/8/085201%0Ahttp://stacks.iop.org/1751-8121/44/i=8/a=085201?key=crossref.abc74c979a75846b3de48a5587bf708f>
7. Kemenkes R. *InfoDATIN Hari Diabetes Sedunia Tahun 2018.* Direktorat Pencegah dan Pengendali Penyakit Tidak Menular, Badan Litbangkes. 2018.
8. Grellety E, Babakazo P, Bangana A, Mwamba G, Lezama I, Zagre NM, et al. Peran Studi Etnofarmasi Dalam Pencarian Tumbuhan Obat Yang Berpotensi Dikembangkan Sebagai Antidiabetes. *Food Nutr Bull* [Internet]. 2015;12(3):210. Available from: <https://www.google.com.my/#q=SHAKE+Technical+Package+for+Salt+R+reduction+%0Ahttp://www.wcrf.org/int/policy/our-policy-work/curbing-global-sugar-consumption%0Ahttp://link.springer.com/article/10.1007/s11936-012-0182-9%5Cnhttp://link.springer.com/article/10>
9. Simanjuntak HA. Potensi Famili Asteraceae Sebagai Obat Tradisional Di Masyarakat Etnis Simalungun Kabupaten Simalungun Provinsi Sumatera Utara. *BIOLINK (Jurnal Biol Lingkungan, Ind Kesehatan).* 2017;41:11.
10. Res IJA. Manuscript Info Abstract Introduction : - ISSN : 2320-5407 Material and methods : -. 2015;612:393–8.
11. Yusuf H, Yusni Y, Meutia F, Fahriani M. Pharmacological Evaluation of Antidiabetic Activity of *Chromolaena Odorata* Leaves Extract in Streptozotocin- Induced Rats Pharmacological Evaluation of Antidiabetic Activity of *Chromolaena Odorata* Leaves Extract in Streptozotocin- Induced Rats. 2020;(September 2012).
12. Widodo FY. *Pemantauan penderita diabetes mellitus.* 2014;3:55–69.
13. Wall HP, Bhusal A, Jamarkattel N, Shrestha A. Evaluation of Antioxidative and Antidiabetic Activity of Bark of. 2014;89:9–12.

14. Rahmasari I, Wahyuni ES. Efektivitas memordoca carantia (pare) terhadap penurunan kadar glukosa darah 1,2. 2019;91:57–64.
15. Almasdy D, Sari DP, Suhatri S, Darwin D, Kurniasih N. Evaluasi Penggunaan Obat Antidiabetik Pada Pasien Diabetes Melitus Tipe-2 di Suatu Rumah Sakit Pemerintah Kota Padang – Sumatera Barat. *J Sains Farm Klin*. 2015;21:104.
16. Purwandari H, Santi SN. STRADA Jurnal Ilmiah Kesehatan HUBUNGAN KEPATUHAN DIET DENGAN KUALITAS HIDUP STRADA Jurnal Ilmiah Kesehatan. 2017;62:16–21.
17. Wu X, Zhuang J, Bai Z, Guo D. In vivo antidiabetic activity of aqueous extract of *Artemisia argyi* (Chinese mugwort) in alloxan-induced diabetic rats. 2020;19(July):1487–93.
18. Hidayah M. Hubungan Perilaku Self-Management Dengan Kadar Gula Darah Pada Pasien Diabetes Mellitus Tipe 2 Di Wilayah Kerja Puskesmas Pucang Sewu , Surabaya The Relationship between Self-Management Behaviour and Blood Glucose Level in Diabetes Mellitus Type 2 Patient. 2019;176–82.
19. PERKENI. Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia. Jakarta. 2015.
20. Parisa N, Farmakologi B, Kedokteran F, Sriwijaya U. Efek Ekstrak Daun Salam pada Kadar Glukosa Darah The Effect of Bay Leaves on Blood Glucose Levels. 2016;1:404–8.
21. Wells, B. G., Dipiro, J.T., Schwinghammer, T. L. & Dipiro C V. *Pharmacotherapy Handbook*. AIAA Guidance, Navigation, and Control Conference. 2015. 161 p.
22. Fatimah RN. DIABETES MELITUS TIPE 2. 2015;4:93–101.
23. Organization WH. CLASSIFICATION OF DIABETES MELLITUS. 2019.
24. Depkes. Pedomian Pelayanan Kefarmasian Pada Diabetes Melitus. 2019. Departemen Kesehatan Republik Indonesia.
25. Fitrianiingsih P, Maulana IT, Choesrina R, Aprilliani R. U JI A KTIVITAS P ENGHAMBATAN A LFA A MILASE E KSTRAK D AUN. 2014;108–15.
26. Bahar E, Akter K, Lee G, Lee H, Rashid H, Choi M, et al. β -Cell protection and antidiabetic activities of *Crassocephalum crepidioides* (Asteraceae) Benth . S . Moore extract against alloxan- induced oxidative stress via regulation of apoptosis and reactive oxygen species. 2017;1–12.
27. Wadood S, Shah A, Ghias M, Shoaib M, Ali N, Shah I, et al. Antidiabetic potential of flavonoids from *Artemisia macrocephalla* Jaquem in streptozotocin-induced diabetic rats : Pharmacological and biochemical approach. 2019;32(6):2865–71.
28. Al-hajj NQM, Mn A, Alyousef HA, Sharif HR, Thabit R. In Vitro and in Vivo Evaluation of Antidiabetic Activity of Leaf Essential Oil of *In Vitro* and in Vivo Evaluation of Antidiabetic Activity of Leaf Essential Oil of *Pulicaria inuloides* -Asteraceae. 2016;(August).
29. Rahman A, Sultana R, Akter R, Islam S. Antidiarrheal and antidiabetic effect of ethanol extract of whole *Ageratum conyzoides* L . in albino rat model.

- 2013;723:1537–45.
30. Cao J, Li C, Zhang P, Cao X, Huang T, Bai Y, et al. Antidiabetic effect of burdock (*Arctium lappa* L.) root ethanolic extract on streptozotocin-induced diabetic rats. 2012;1137:9079–85.
 31. Sunmonu TO, Afolayan AJ. Evaluation of Antidiabetic Activity and Associated Toxicity of *Artemisia afra* Aqueous Extract in Wistar Rats. 2013;2013.
 32. Ghazanfar K, Ganai BA, Akbar S, Mubashir K, Dar SA, Dar MY, et al. Antidiabetic Activity of *Artemisia amygdalina* Decne in Streptozotocin Induced Diabetic Rats. 2014;2014.
 33. Li J, Zhao H, Hu X, Shi J, Shao D, Jin M. Food Hydrocolloids Antidiabetic effects of different polysaccharide fractions from *Artemisia sphaerocephala* Krasch seeds in db / db mice. Food Hydrocoll [Internet]. 2019;91(December 2018):1–9. Available from: <https://doi.org/10.1016/j.foodhyd.2019.01.002>
 34. Icoz UG, Orhan N. standardized extracts of two *Bidens* species In vitro and in vivo antioxidant and antidiabetic activity studies on standardized extracts of two *Bidens* species. 2017;(October).
 35. Mag P, Chandra K, Khan W, Jetley S, Ahmad S, Jain SK. Antidiabetic , Toxicological , and Metabolomic Profiling of Aqueous Extract of *Cichorium intybus* Seeds. 2018;377–83.
 36. Yu S, Zhao H, Yang W, Amat R, Peng J, Li Y, et al. The Alcohol Extract of *Coreopsis tinctoria* Nutt Ameliorates Diabetes and Diabetic Nephropathy in db / db Mice through miR-192 / miR-200b and PTEN / AKT and ZEB2 / ECM Pathways. 2019;2019.
 37. Syiem D, Warjri P. Antidiabetic , antioxidant , and TNF- α lowering properties of extract of the traditionally used plant *Ixeris gracilis* in alloxan-induced diabetic mice Antidiabetic , antioxidant , and TNF- α lowering properties of extract of mice. 2015;0209.
 38. Mahmoud AE, Ali MM, Marzouk HSM. Anti-diabetic activity of the chloroform extract of *Senecio mikanioides* Otto in streptozotocin-induced diabetic rats. 2011;1(4):257–64.
 39. Abdel-aal RA, Abdel-rahman MS, Al S, Ali LA. Effect of stevia aqueous extract on the antidiabetic activity of saxagliptin in diabetic rats. J Ethnopharmacol [Internet]. 2021;265(July 2019):113188. Available from: <https://doi.org/10.1016/j.jep.2020.113188>
 40. Juee LYM, Naqishbandi AM. of *Taraxacum officinale* root extracts. 2020;33(3):168–75.
 41. Parawansah, Nuralifah, Hasputra R. UJI EFEK ANTIDIABETES EKSTRAK DAUN KEMBANG BULAN (*Tithonia difersivolia*). 2016;51:72–80.
 42. Zainul N. In vivo antidiabetic efficacy of Malaysian *Vernonia amygdalina* aqueous In vivo antidiabetic efficacy of Malaysian *Vernonia amygdalina* aqueous extract. 2018;(July).
 43. Wulandari L, Nugraha AS, Azhari NP. Penentuan Aktivitas Antioksidan dan Antidiabetes Ekstrak Daun Kepundung (*Baccaurea racemosa* Muell . Arg .)

- secara In Vitro. 2020;37:60–6.
44. Farmasi J, Rahman A, Sultana R, Akter R. Efek antidiare dan antidiabetes dari ekstrak etanol total *Ageratum conyzoides* L . dalam model tikus albino. 2013;723:1537–45.
 45. Selles C, Medjdoub H, El M, Dib A, Zerriouh M, Tabti B. Anti-diabetic activity of aqueous root extract of *Anacyclus pyrethrum* L . in streptozotocin-induced- diabetic rats. 2012;616:3193–8.



LAMPIRAN 1

BUKTI SUBMIT ARTIKEL

Kiriman Aktif
ejournal.unisba.ac.id

Jurnal Ilmiah Farmasi Farmasyifa
http://ejournal.unisba.ac.id/index.php/Farmasyifa Jalan Rangka Gading No. 8 Bandung 40116

TENTANG BERANDA PENGGUNA KATEGORI MENCARI SAAT INI ARSIP

> Penulis > **Kiriman Aktif**

IM	DETIK	PENGARANG	JUDUL	STATUS
	SENI	Srimartanti	REVIEW ARTIKEL: AKTIVITAS ANTIDIABETES MELTUS TIPE 2...	Menunggu penilaian

RU
nelanjutkan ke langkah pertama dari proses pengiriman lima langkah.

BITKAN|DIABAIKAN|

N	HITS	URL	ARTIKEL	JUDUL	STATUS	TINDAKAN
Saat ini tidak ada reffback.						

Abaikan Hapus Pilih Semua

Daftar Jurnal oleh :

- le
- LIPI
- LEMBAGA ILMU PENGETAHUAN INDONESIA
- PKP|INDEX
- Dimensions
- BASE
- neliti
- sinta
- CiteFactor
- Academic Resource Index ResearchBIB
- DRJI
- ESJI
- EuroPub
- Garuda
- OCCL WorldCat
- Scilit
- oneSearch
- ns

See more >

KR 25	TW 13	JP 8	BG 5
CN 24	CL 12	CZ 8	AU 4
FR 23	DE 11	TR 7	PH 4
RU 20	NL 11	PL 5	CA 4
GB 19	BR 11	FI 5	HK 4
IR 15	ZA 10	BD 5	IT 4
ID			

FLAG counter