

DAFTAR PUSTAKA

1. Moura, C. A.; Oliveira-Júnior D. Chemical Constituents from the Leaves of *Morus nigra* L. (Moraceae) Artigo Chemical Constituents from the Leaves of *Morus nigra* L. (Moraceae) Collected in Casa Nova , Bahia , Brazil Constituintes Químicos Isolados das Folhas de *Morus nigra* L. (Mora. 2019;(January):394–400. Available from: <http://rvq.sbg.org.br>
2. sahomni. Konservasi ex situ Famili Moraceae di Kebun Raya Bogor , Jawa Barat. 2020;6:530–6.
3. Anh HT, Vu NSH, Huyen LT, Tran NQ, Thu HT, Bach LX, et al. *Ficus racemosa* leaf extract for inhibiting steel corrosion in a hydrochloric acid medium. Alexandria Eng J. 2020;59(6):4449–62.
4. Hassan HA, Attia EZ, Desoukey SY, Mohamed KM, Kamel MS. Quantitative Analysis of Total Phenolic and Total Flavonoid Constituents of some *Ficus* species. J Adv Biomed Pharm Sci [Internet]. 2019;2:38–40. Available from: <http://jabps.journals.ekb.eg>
5. Thaipitakwong T, Numhom S, Aramwit P. Mulberry leaves and their potential effects against cardiometabolic risks: A review of chemical compositions, biological properties and clinical efficacy. Pharm Biol [Internet]. 2018;56(1):109–18. Available from: <https://doi.org/10.1080/13880209.2018.1424210>
6. Yadav S, Gupta VK, Gopalakrishnan A, Verma R. Antioxidant activity analysis of *Ficus racemosa* leaf extract. 2019;7(1):1443–6.
7. Rasyid dkk. Bantimurung Bulusaraung. J Pendidik. 2017;2(6):861–6.
8. Mpala L, Chikowe G, Cock IE. *Ficus racemosa* L. Leaf Extracts Lack Antibacterial activity and are Toxic in vitro. Pharmacogn Commun. 2019;10(1):52–6.
9. Wulansari TYI, Agustiani EL, Sunaryo, Tihurua EF. Struktur Anatomi Daun Sebagai Bukti Dalam Pembatasan Takson Tumbuhan Berbunga: Studi Kasus 12 Suku Tumbuhan Berbunga Indonesia. Bul Kebun Raya. 2020;23(2):146–61.
10. Utami Y., Taebe B, Fatmawati. Standardisasi Parameter Spesifik dan Non Spesifik Ekstrak Etanol Daun Murbei (*Morus alba* L.) Asal Kabupaten Soppeng Provinsi Sulawesi Selatan. J Pharm Med Sci. 2016;1(2):48–52.

11. Rahmawati A, Dharmono. Keanekaragaman spesies dari genus *Ficus* di hutan pantai tabanio Kabupaten Tanah Laut. Pros Semin Nas Lingkung Lahan Basah. 2018;3(1):214–7.
12. Awad NE, Abdelqawy MA, Hamed MA, Maram M. Quantitation and Characterization of Phenolic Compounds in Butanol Fraction of *Ficus Lyrata* Leaves and In Vivo Assessment of Hepatoprotective and Hypocholesterolemic Activities in Rats. *J Herbs Spices Med Plants* [Internet]. 2019;25(4):330–46. Available from: <https://doi.org/10.1080/10496475.2019.1619650>
13. Potensinya DAN, Taman DI. *BANTIMURUNG BULUSARAUNG*. 2017;861–6.
14. Akkol EK, Süntar I, Keleş H, Sezik E, Gürler G. Bioassay-Guided Isolation and Characterization of Wound Healer Compounds from *Morus nigra* L. (Moraceae). 2015;4:484–95.
15. Rodrigues EL, Marcelino G, Silva GT, Figueiredo PS, Garcez WS, Corsino J, et al. Nutraceutical and medicinal potential of the *Morus* species in metabolic dysfunctions. *Int J Mol Sci*. 2019;20(2).
16. Singh SB, Singh A. Identification, Quantitative Determination and Antidepressant Activity Of Chlorogenic Acid And Gallic Acid From *Morus Alba* Leaves. *Int J Pharm Sci Res* [Internet]. 2020;11(4):1683–9. Available from: <http://www.tjyybjb.ac.cn/CN/article/downloadArticleFile.do?attachType=PDF&id=9987>
17. Subash ChandraVerma and R.Venkatesh Kumar Chauhan S. Evaluation of Phytochemical and Anti-oxidant Activity in Different Mulberry Varieties. *Asian J Chem*. 2013;25(14):8010–4.
18. Cao X, Yang L, Xue Q, Yao F, Sun J, Yang F, et al. Antioxidant evaluation-guided chemical profiling and structure- activity analysis of leaf extracts from five trees in *Broussonetia* and *Morus* (Moraceae). *Sci Rep* [Internet]. 2020;1–14. Available from: <http://dx.doi.org/10.1038/s41598-020-61709-5>
19. Djamil R, Bakriyyah F. Isolasi dan Identifikasi Jenis Senyawa Flavonoid dalam Fase n -Butanol Daun Murbei (*Morus alba* L .) secara Spektrofotometri Isolation and Identification of Flavonoid Compounds in n -Butanol Phase Mulberry Leaves (*Morus alba* L .) using Spectrophotometry. *J Ilmu Kefarmasian Indones*.

- 2015;13(2):hlm. 194-200.
20. Syakri S, Nisa K. REVIEW ARTIKEL : POTENSI KEARIFAN LOKAL TANAMAN Ficus SEBAGAI ANTIOKSIDAN. 2021;14(1):21–8.
 21. Thabti I, Marzougui N, Elfalleh W, Ferchichi A. Antioxidant composition and antioxidant activity of white (*Morus alba* L.), black (*Morus nigra* L.) and red (*Morus rubra* L.) mulberry leaves. *Acta Bot Gall*. 2011;158(2):205–14.
 22. Performance H, Chromatography L, Using A, Marker R. *Journal of*. 2019;31(8):1801–4.
 23. Mahasiswa S, Farmasi F, Gadjah U. Validasi Penetapan Kadar Isolat Andrografolid dari Tanaman Sambiloto (*Andrographis paniculata* Nees) Menggunakan HPLC. 2015;2(1):8–14.
 24. Genetik SD. No Title.
 25. Dossou-Yovo HO, F.G. V, Sinsin B. Medicinal Plant Research. *J Med Plant Res*. 2014;8(1):368–77.
 26. Belguith-hadriche O, Ammar S, Contreras M, Fetoui H, Segura-carretero A, El A, et al. ScienceDirect HPLC-DAD-QTOF-MS profiling of phenolics from leaf extracts of two Tunisian fig cultivars : Potential as a functional food. *Biomed Pharmacother*. 2017;89:185–93.
 27. Ahmed F, Urooj A. Traditional uses, medicinal properties, and phytopharmacology of *Ficus racemosa*: A review. *Pharm Biol*. 2010;48(6):672–81.
 28. Hasanah U, Saptasari M. TUMBUHAN FICUS. 2017;(2005):986–90.
 29. Rahmawati A. KEANEKARAGAMAN SPESIES DARI GENUS FICUS DI HUTAN PANTAI TABANIO KABUPATEN TANAH LAUT. 2018;3(April):214–7.
 30. Nova C. Chemical Constituents from the Leaves of *Morus nigra* L . (*Moraceae*)
Artigo Chemical Constituents from the Leaves of *Morus nigra* L . (*Moraceae*)
Collected in Casa Nova , Bahia , Brazil
Constituintes Químicos Isolados das Folhas de *Morus nigra* L . (*Mora*. 2019;(January).
 31. Aljane F, Sdiri N. Morphological , Phytochemical and Antioxidant Characteristics of White (*Morus alba* L .), Red (*Morus rubra* L .) and Black (*Morus nigra* L .) Mulberry Fruits Grown in Arid Regions of Tunisia. 2016;35(1):1940–7.

32. Elfalleh W, Ferchichi A, Grac M Da. Identification and quantification of phenolic acids and flavonol glycosides in Tunisian *Morus* species by HPLC-DAD and HPLC – MS. 2012;4:4–11.
33. Rahmawati N, Prayoga HN, Nst MR. ISOLASI DAN UJI AKTIVITAS ANTIOKSIDAN SENYAWA METABOLIT SEKUNDER DARI FRAKSI n-BUTANOL DAUN TIN (*Ficus carica* L .). 2019;8(September).
34. Awad NE, Abdelqawy MA, Hamed MA, Maram M. Quantitation and Characterization of Phenolic Compounds in Butanol Fraction of *Ficus Lyrata* Leaves and In Vivo Assessment of Hepatoprotective and Hypocholesterolemic Activities in Rats Quantitation and Characterization of Phenolic Compounds in Butanol Fra. *J Herbs Spices Med Plants*. 2019;25(4):330–46.
35. Radojkovi MM, Zekovi ZP, Vidovi SS, Ko DD, Maškovi PZ. Free radical scavenging activity and total phenolic and flavonoid contents of mulberry (*Morus* spp . L . , Moraceae) extracts. :547–52.
36. Thabti I, Marzougui N, Elfalleh W, Ferchichi A. Antioxidant composition and antioxidant activity of white (*Morus alba* L .), black (*Morus nigra* L .) and red (*Morus rubra* L .) mulberry leaves. 2013;8078.
37. Thabti I, Elfalleh W, Tlili N, Ziadi M, Campos MG, Thabti I, et al. Phenols , Flavonoids , and Antioxidant and Antibacterial Activity of Leaves and Stem Bark of *Morus* Species AND ANTIBACTERIAL ACTIVITY OF LEAVES. 2014;2912.
38. Singh D, Shukla PK, Singh S, Singh RP. *Phytochemical and*. 2017;11(4):268–75.
39. Wei E, Chan C, Kuin S, Tangah J, Inoue T, Tuck H. Phenolic constituents and anticancer properties of *Morus alba* (white mulberry) leaves. *J Integr Med*. 2020;18(3):189–95.
40. Yu L, Meng Y, Wang Z, Cao L, Liu C, Gao M. Sustainable and ef fi cient surfactant-based microwave-assisted extraction of target polyphenols and furanocoumarins from fi g (*Ficus carica* L .) leaves. *J Mol Liq*. 2020;318:114196.
41. Series IOPC, Science M. The comparative study of the fruit and leaf extract of *Ficuslyrata* Warb on antibacterial activities. 2018;
42. Wira DW, Eka D, Bangun M, Putri SH, Mardawati E. PENGARUH EKSTRAK ETANOL DAUN KETAPANG BADAK (*Ficus lyrata* Warb) TERHADAP

AKTIVITAS ANTIBAKTERI DAN. 2019;38–45.

43. Imran M, Khan H, Shah M, Khan R, Khan F. Chemical composition and antioxidant activity of certain *Morus* species. *J Zhejiang Univ Sci B*. 2010;11(12):973–80.
44. Nishad U, Yadav VK, Srivastava R. Identification , Qunatitative Determination & Antidepressant Activity of Chlorogenic Acid & Gallic Acid from *Morus Alba* Leaves. 2020;5(2).
45. Bala S, Gupta S, Ac R, Rani U. Antidiabetogenic action of *Morus rubra* L . leaf extract in streptozotocin-induced diabetic rats. 2010;247–55.
46. Khadem S, Marles RJ. Monocyclic Phenolic Acids; Hydroxy- and Polyhydroxybenzoic Acids: Occurrence and Recent Bioactivity Studies. *Molecules*. 2010;15:7985–8005.
47. Java W. Konservasi ex situ Famili Moraceae di Kebun Raya Bogor , Jawa Barat Ex situ conservation of the Moraceae Family in the Bogor Botanical Gardens , West Java. 2020;6:530–6.
48. Mazimba O, Majinda RRT, Motlhanka D. Antioxidant and antibacterial constituents from *Morus nigra*. *African J Pharm Pharmacol*. 2011;5(6):751–4.
49. Mpala L, Chikowe G, Cock IE. *Ficus racemosa* L . Leaf Extracts Lack Antibacterial activity and are Toxic in vitro. 2020;(January).
50. Syukri Y, Nugroho AE, Martien R, Lukitaningsih E. Validasi Penetapan Kadar Isolat Andrografolid dari Tanaman Sambiloto (*Andrographis paniculata* Nees) Menggunakan HPLC. *J Sains Farm Klin* [Internet]. 2015;2(1):8–14. Available from: <http://jsfkonline.org/index.php/jsfk/article/view/42>

LAMPIRAN
BUKTI SUBMIT ARTIKEL

