

DAFTAR PUSTAKA

1. Kaban AN, Daniel, Saleh C. Uji Fitokimia, Toksisitas dan Aktivitas Antioksidan Fraksi n- Heksan Dan Etil Asetat terhadap Ekstrak Jahe Merah (*Zingiber officinale* Var. *Amarum*). *J Kim Mulawarman*. 2016;14(1):24-28.
2. Van HT. Chemical constituents and biological activities of essential oils of *Amomum* genus (*Zingiberaceae*). *Asian Pac J Trop Biomed*. 2021;11(December):519-526. doi:10.4103/2221-1691.331267
3. Nisa U, Astana PRW, Triyono A, et al. Ethnobotanical study of medicinal plants used for treating urinary tract problems in eastern Indonesia. *IOP Conf Ser Earth Environ Sci*. 2021;905(1). doi:10.1088/1755-1315/905/1/012119
4. Widyowati R, Agil M. Chemical constituents and bioactivities of several Indonesian plants typically used in jamu. *Chem Pharm Bull*. 2018;66(5):506-518. doi:10.1248/cpb.c17-00983
5. Washikah. Tumbuhan *Zingiberaceae* Sebagai Obat-Obatan. *Serambi Saintia*. 2016;IV(1):35-43.
6. Melissa . P. *Zingiberaceae*: Additional Information. *Encycl Br*. Published online 2013. <https://www.britannica.com/plant/Zingiberaceae>
7. A Working List of All Plant Species TPL. *Zingiberaceae*. Published 2013. Accessed January 18, 2022. <http://www.theplantlist.org/1.1/browse/A/Zingiberaceae/>
8. Handayani D. Variasi Perbungaan *Zingiberaceae*. *J Biosains*. 2018;4(1):45-54.
9. Semarang MK. *Biodiversitas Zingiberaceae Mijen Kota Semarang*. Edisi Revi.; 2020.
10. Pal K, Chowdhury S, Dutta SK, et al. Analysis of rhizome colour content, bioactive compound profiling and ex-situ conservation of turmeric genotypes (*Curcuma longa* L.) from sub-Himalayan terai region of India. *J Ind Crop Prod*. 2020;150(December 2019):112401. doi:10.1016/j.indcrop.2020.112401
11. Wahidah SW, Fadhilah KN, Nahhar H, Afifah SN, Sri N. Uji Skrining Fitokimia dari Amilum Familia *Zingiberaceae*. *J Buana Farma*. 2021;1:1-4.
12. Pangemanan A, . F, Budiarto F. Uji daya hambat ekstrak rimpang kunyit (*Curcuma longa*) terhadap pertumbuhan bakteri *Staphylococcus aureus* dan *Pseudomonas* sp. *J e-Biomedik*. 2016;4(1). doi:10.35790/ebm.4.1.2016.10840
13. Syamsuri S, Alang H. Inventarisasi *Zingiberaceae* yang Bernilai Ekonomi (Etnomedisin, Etnokosmetik dan Etnofood) di Kabupaten Kolaka Utara, Sulawesi Tenggara, Indonesia. *Agro Bali Agric J*. 2021;4(2):219-229. doi:10.37637/ab.v4i2.715
14. Ismail I. Faktor Yang Mempengaruhi Keputusan Masyarakat Memilih Obat Tradisional Di Gampong Lam Ujong. *Idea Nurs J*. 2015;6(1):7-14.


- doi:10.52199/inj.v6i1.6632
15. BPOM RI. Peraturan Badan Pengawas Obat Dan Makanan Tentang Pedoman Uji Toksisitas Praliniik Secara in Vivo. *J Chem Inf Model*. 2020;53(9):21-25. <http://www.elsevier.com/locate/scp>
 16. Sri Oktavia, Ifora ADP. Uji Toksisitas Akut Ekstrak Daun Waru (*Hibiscus Tiliaceus L.*) Pada Mencit Putih Jantan. *J Farm*. 2018;10(1):41-48.
 17. Rahman A, Islam S. *Alpinia calcarata Roscoe*: A potential phytopharmacological source of natural medicine. *J Pharmacogn*. 2015;9(17):1-8. doi:10.4103/0973-7847.156350
 18. Subash K.R, Muthulakshmi Bhaarithi G, jagan rao N BV cheriyan. Phytochemical screening And Acute Toxicity Study Of Ethanolic Extract Of *Alpinia Galanga* In Rodents. *Int J Med Res Heal Sci*. 2013;2(1):93-100.
 19. Somarathna T, Thammitiyagodage MG, Ranaweera KKDS, et al. In Vivo and in Vitro Toxicity Profiles of Hexane Extract of *Alpinia malaccensis* Rhizome in Rat and Cell Line Models. *J Toxicol*. 2021;2021. doi:10.1155/2021/9578474
 20. Ratih D, Yuhani, Riza N. Pesik, Sarh Azzahro, Adliah F. Anisa RH. Acute Toxicity Test of *Amomum cardamomum* (Kapulaga) Seed Extract on Hepatic Transaminase Enzyme in Wistar Rats Uji Toksisitas Akut Ekstrak Biji Kapulaga (*Amomum cardamomum*) Berdasarkan Kadar Enzim Transaminase Hepar Tikus Wistar. *Indones J Clin Pharm*. 2020;9(December). doi:10.15416/ijcp.2020.9.4.288
 21. Rosdianto AM, Puspitasari IM, Lesmana R, Levita J. Inhibitory activity of *boesenbergia rotunda* (L.) Mansf. rhizome towards the expression of Akt and NF-KappaB p65 in acetic acid-induced wistar rats. *Evidence-based Complement Altern Med*. 2020;2020. doi:10.1155/2020/6940313
 22. N. Rajashekhar, B.K Ashok, Parmeshwar P. Sharma BR. AYU Evaluation of acute toxicity and anti - ulcerogenic study of rhizome starch of two source plants of Tugaksheere. *Ayu J*. 2014;35(4):433-437. doi:10.4103/0974-8520.159013
 23. Chakrabort P, Pack PDF, Rhizomat S, et al. Anti-Inflammatory Activity of Methanolic Extract of *Curcuma Caesia Roxb.* Rhizomes in ... *Int J Pharm Pharm Sci*. 2014;6(2):243- 247.
 24. Winarsih W, Wientarsih I, Sulistyawati NP, Wahyudina I. Uji Toksisitas Akut Ekstrak Rimpang Kunyit pada Mencit: Kajian Histopatologis Lambung, Hati dan Ginjal. *J Vet*. 2012;Vol. 13(4):402-409.
 25. Anu S, Dan M, Ramesh Kumar KB, Suja SR. Wild relative of turmeric, *curcuma zanthorrhiza roxb.*-a source of edible starch. *Indian J Tradit Knowl*. 2020;19(3):519-524.
 26. Sungthong B, Srichaikul B. Antioxidant Activities , Acute Toxicity and Chemical Profiling of Torch Ginger (*Etlingera elatior Jack.*) Inflorescent Extract. *J pharmacogn*. 2018;10(5):979-982.
 27. Ha LM, Phuong NT, Thu Hien NT, Tam PT, Thao DT, Thanh Huyen DT. In Vitro and In Vivo Anti-Inflammatory Activity of the Rhizomes of *Globba pendula Roxb.* *J Nat Prod Commun*. 2021;16(10). doi:10.1177/1934578X211055907
 28. Amuamuta A, Plengsuriyakarn T, Na-Bangchang K.

- Anticholangiocarcinoma activity and toxicity of the *Kaempferia galanga* Linn. Rhizome ethanolic extract. *J BMC Complement Altern Med*. 2017;17(1):1-11. doi:10.1186/s12906-017-1713-4
29. Sini S, Latha PG, Anilkumar T V., et al. Safety assessment of tuberous rhizome of *Kaempferia rotunda* L. by acute and 28-days repeated dose toxicity studies. *Glob J Pharmacol*. 2014;8(2):128-139. doi:10.5829/idosi.gjp.2014.8.2.82187
 30. Plengsuriyakarn T, Viyanant V, Eursitthichai V, et al. Cytotoxicity, Toxicity, and Anticancer Activity of *Zingiber Officinale* Roscoe Against Cholangiocarcinoma. *Asian Pacific J Cancer Prev*. 2012;13:4597-4606.
 31. Chang CJ, Tzeng T, Liou S, Chang Y, Liu I. Acute and 28-Day Subchronic Oral Toxicity of an Ethanol Extract of *Zingiber zerumbet* (L .) Smith in Rodents. *J evidence-based Complement Altern Med*. 2012;2012. doi:10.1155/2012/608284
 32. Koontongkaew S, Poachanukoon O, Sireeratawong S, et al. Safety Evaluation of *Zingiber cassumunar* Roxb . Rhizome Extract: Acute and Chronic Toxicity Studies in Rats. *J Int Schreasech Not*. 2014;2014.
 33. Sukketsiri W, Phivthong-ngam L, Chaichantipyuth C, Niwattisaiwong N, Srichairat S, Lawanprasert S. Safety Profile Of Subacute Exposure To *Curcuma Comosa* Ethanolic Extract In Female Rats. *J Heal Res*. 2017;31(1):33-40. doi:10.14456/jhr.2017.5
 34. Arawwawala LDAM, Arambewela LSR, Ratnasooriya WD. *Alpinia calcarata* Roscoe: A potent antiinflammatory agent. *J Ethnopharmacol*. 2012;139(3):889-892. doi:10.1016/j.jep.2011.12.036
 35. Eram S, Mujahid M, Bagga P, et al. a Review on Phytopharmacological Activity of *Alpinia Galanga*. *Int J Pharm Pharm Sci*. Published online 2019:6-11. doi:10.22159/ijpps.2019v11i3.31352
 36. Mubarrak J. Kandungan kimia minyak atsiri rimpang tumbuhan (*Alpinia malaccensis*). *Saintifik J Penidikan MIPA*. Published online 2015:109-111.
 37. Suprava Sahoo. Evaluation of in vitro antioxidant activity of leaf extract of *Alpinia malaccensis*. *J Med Plants Res*. 2012;6(23):4032-4038. doi:10.5897/jmpr12.374
 38. Williamson DA, Bray GA, Ryan DH. Is 5 % Weight Loss a Satisfactory Criterion to Define Clinically Significant Weight Loss? *J Obes*. 2015;23(12):2319-2320. doi:10.1002/oby.21358
 39. Hartady T, Balia RL, Rizky M, Adipurna A, Jasni S, Pontjo B. Bioactivity of *Amomum Compactum Soland Ex Maton* (*Java Cardamom*) as a Natural Antibacterial. *J Syst Rev Pharm*. 2020;11(9):384-387.
 40. Ongwisespaiboon O, Jiraungkoorskul W. Fingerroot , *Boesenbergia rotunda* and its Aphrodisiac Activity. *J pharmacogn*. Published online 2017:27-30. doi:10.4103/phrev.phrev
 41. N. Rajashekara, B.K. Ashok, Parmeshwar P. Sharma BR. Evaluation of acute toxicity and anti-ulcerogenic study of rhizome starch of two source plants of Tugaksheeree (*Curcuma angustifolia* Roxb. and *Maranta arundinacea* Linn.). *Int J Ayurveda Res*. 2014;35(4):433– 437.
 42. Hidayat G.A, Wahyu Widayat RR. Isolasi jamur endofit rimpang kunyit

- hitam (*Curcuma caesia* Roxb.). *J Mulawarman Pharm*. Published online 2016:20-21.
43. Rahmat E, Lee J, Kang Y. Javanese Turmeric (*Curcuma xanthorrhiza* Roxb.): Ethnobotany, Phytochemistry, Biotechnology, and Pharmacological Activities. *Evidence-based Complement Altern Med*. 2021;2021. doi:10.1155/2021/9960813
 44. Rawat S, Jugran AK, Bhatt ID, Rawal RS. *Hedychium spicatum*: a systematic review on traditional uses , phytochemistry , pharmacology and future prospectus. *J Pharm Pharmacol*. Published online 2018. doi:10.1111/jphp.12890
 45. Shivani Ghildiyal, Manish K. Gautam V k joshi and RKG. Pharmacological evaluation of extracts of *Hedychium spicatum* (Ham-ex-Smith) rhizome. *J Anc Sci Life*. 2012;31(3):117- 122. doi:10.4103/0257-7941.103189.
 46. Prakash O, Chandra M, Punetha H, Pant AK, Rawat DS. *Spiked Ginger Lily (Hedychium Spp .) Oils*. Elsevier Inc.; 2016. doi:10.1016/B978-0-12-416641-7.00084-5
 47. Riasari H, Rachmaniar R, Wahyuni S. Evaluation Patch of Rhizoma Extract Kencur (*Kaempferia galanga* L.) as Anti-Inflammatory with Enhancer. *Indones J Pharm Sci Technol*. 2019;6(2):59. doi:10.24198/ijpst.v6i2.18932
 48. Diastuti H, Asnani A, Rastuti U, Anggraeni M. Toxicity of benzyl benzoate from *Kaempferia rotunda* L. rhizome. *AIP Conf Proc*. 2020;2237(June):2-7. doi:10.1063/5.0005554
 49. Astutiningsih C, Octaviani R, Suratiningsih S. Daya hambat minyak atsiri dan ekstrak limbah sisa desilasi rimpang kunir putih (*Kaempferia rotunda* L.) terhadap pertumbuhan *Candida albicans* ATCC 10231. *J Farm Sains Dan Komunitas*. 2014;11(1):18-22.
 50. Nur Y, Cahyotomo A, Nanda, Fistoro N. Profil GC-MS Senyawa Metabolit Sekunder dari Jahe Merah (*Zingiber officinale*) dengan Metode Etil Asetat, Etanol, dan Destilasi. *J Sains dan Kesehatan*. 2020;3(3):198-204.
 51. Suksaeree J, Charoenchai L, Madaka F, et al. *Zingiber cassumunar* blended patches for skin application : Formulation , physiochemical properties , and in vitro studies ScienceDirect *Zingiber cassumunar* blended patches for skin application : Formulation , physicochemical properties , and in vitro stud. *Asian J Pharm Sci*. 2015;10(4):341-349. doi:10.1016/j.ajps.2015.03.001
 52. Singh C, Manglembi N, Swapana N, Chanu S. Ethnobotany , Phytochemistry and Pharmacology of *Zingiber cassumunar* Roxb . (*Zingiberaceae*). *J Pharmacogn Phytochem*. 2015;4(1):1-6.

LAMPIRAN 1

SKEMA ALUR PEMUATAN REVIEW ARTIKEL



Gambar II.1 Skema Alur pembuatan *review* artikel

LAMPIRAN 2

BUKTI SUBMIT *REVIEW* ARTIKELGambar III.20 Bukti Submit *Review* Artikel

Alamat : Kp.Leuwiereng Rt.04 Rw.05 Desa. Mekarsari
Kecamatan Cikajang Kabupaten Garut JawaBarat

Kewarganegaraan : Indonesia

Agama : Islam

Status : Mahasiswa

Telepon/HP : 082117118482

E-mail : Sucihilwa3@gmail.com

Riwayat Pendidikan : - TK Miftahul Falah (2004 – 2006)
- SDN Mekarsari II (2006 - 2012)
- SMPN 1 Cikajang (2012 – 2015)
- SMA Alfacentauri (2015 – 2018)
- Universitas Garut (2018 – sekarang)

Pengalaman Organisasi : - Bendahara Departemen Olahraga dan Seni
BEM KEMAFMIPA Universitas Garut



Alamat : Kp.Leuwiereng Rt.04 Rw.05 Desa. Mekarsari
Kecamatan Cikajang Kabupaten Garut JawaBarat

Kewarganegaraan : Indonesia

Agama : Islam

Status : Mahasiswa

Telepon/HP : 082117118482

E-mail : Sucihilwa3@gmail.com

Riwayat Pendidikan : - TK Miftahul Falah (2004 – 2006)
- SDN Mekarsari II (2006 - 2012)
- SMPN 1 Cikajang (2012 – 2015)
- SMA Alfacentauri (2015 – 2018)
- Universitas Garut (2018 – sekarang)

Pengalaman Organisasi : - Bendahara Departemen Olahraga dan Seni
BEM KEMAFMIPA Universitas Garut